CLINICA CHIMICA ACTA
Vol. 33 (1971)

BLANK
PAGE

CLINICA CHIMICA ACTA

INTERNATIONAL MONTHLY OF CLINICAL CHEMISTRY

Vol. 33 (1971)

Sponsored by the following National Societies:

Association of Clinical Biochemists, *Great Britain*
Belgische Vereniging voor Klinische Chemie, Société belge de chimie clinique, *Belgium*
Nederlandse Vereniging voor Klinische Chemie, *The Netherlands*
Deutsche Gesellschaft für Klinische Chemie, *Germany*
Société française de biologie clinique, *France*
Société suisse de chimie clinique, Schweizerische Vereinigung für klinische Chemie, *Switzerland*

Editor-in-chief: C. P. Stewart, Edinburgh
Associate Editor: S. C. Frazer, Aberdeen

Regional Editors:
for the Americas - M. Rubin, Washington, D.C.
for the British Commonwealth - R. Gaddie, Birmingham
for all other territories, including Europe - E. J. van Kampen, Groningen

Editorial Secretary:
Th. Strengers, P.O. Box 4073, Amsterdam, The Netherlands

ELSEVIER PUBLISHING COMPANY
AMSTERDAM

All rights reserved: COPYRIGHT © 1971 BY ELSEVIER PUBLISHING CO., AMSTERDAM

PRINTED IN THE NETHERLANDS

CLINICA CHIMICA ACTA Vol. 33 (1971)

AUTHOR INDEX

ADAMS COWLEY, R., see VITEK, K. . . . 33

ALEEM, F. A.
(Biochemical studies of the placental alkaline phosphatase) 125

ALLINQUANT, B., see SCHULLER, E. . . . 5

ANSTISS, C. L., GREEN, S., FISHMAN, W. H.
(An automated technique for segregating populations with a high incidence of Regan isoenzyme in serum) 279

AUSTIN, F. G., see DEMETRIOU, J. A. . . 21

BACCHUS, R. A., LONDON, D. R.
(The measurement of arginine in plasma) 481

BADER, J.-P., see VATIER, J. 365

BÄSSLER, K. H., see SCHRÖCKERT, K. H.. 55

BEAUMONT, J. L., see JACOTOT, B. . . . 95

BETHLEM, J., see MEIJER, A. E. F. H. . . 247

BISHOP, M. D., SMITH, R.
(Non-protein-bound hydroxyproline in plasma in renal bone disease) 401

BLASS, J. P., SCHULMAN, J. D.
(Measurement of citrate synthase activity in human fibroblasts) 472

BLAZKOVÁ, B., see RYBÁK, B.. 241

BOERSMA, A., see HAVEZ, R. 445

BÖHMER, R., ROMMEL, K., GOBERNA, R., RAPTIS, S.
(Disaccharidasenaktivität des Jejunums subtotal Pankreatektomierter Ratten) . 61

BOHUON, C., CAILLARD, L.
(S-adenoylmethionine in human blood). 256

BONFILS, S., see VATIER, J.. 365

BÖNSCH, G., see KUNZE, D.. 373

BRUNELLE, PH., PESQUET, A.
(Ultra-micro dosage direct de la glocose phosphate isomerase sérique) 265

CAILLARD, L., see BOHUON, C. 256

CAMPBELL, D. G.
(Autoanalyser range expansion) . . . 475

CEDERBLAD, G., LINDSTEDT, S.
(Excretion of L-carnitine in man) . . . 117

CERIOTTI, G., LOLLIS, B., NADAI FRANK DE, A.
(Automatic determination of ornithine carbamyltransferase) 69

CESKA, M.
(A new approach for quantitative and semiquantitative determinations of enzymatic activities with simple laboratory equipment. Detection of α-amylase). . 135

CESKA, M.
(Hydrolysis of a water-insoluble substrate incorporated into solidified medium by enzyme α-amylase contained in normal human urine) 147

CHARPENTIER, C., see LEMONNIER, A.. . 351

CHARPENTIER, C. see LEMONNIER, A.. . . 359

CICALA, C., see ILLIANO, G.. 161

CLEMENTE, F., RIBEIRO, T., FIGARELLA, C., SARLES, H.
(Albumine, IgG et IgA dans le suc pancréatique humain normal chez l'adulte). 317

CLOAREC, L., DOMINGO, M., STERNBERG, M., MARCAIS, J., LAGRUE, G., JAYLE, M. F.
(Préparation de l'haptoglobine à partir d'urines de rats néphrotiques). 45

CONSTANTINIDIS, J., see GEISSBÜHLER, F.. 111

COOPER, J. D. H.
(Determination of blood ethanol by gas chromatography) 485

DEGRAND, P., see HAVEZ, R. 445

DEMETRIOU, J. A., AUSTIN, F. G.
(A rapid competitive protein-binding assay for plasma progesterone) 21

DOMING, M., see CLOAREC, L. 45

DONLON, J., FOTTRELL, P. F.
(Quantitative determination of intestinal peptide hydrolase activity using L-amino acid oxidase) 345

DORDAIN, M., see LEBRETON, J. P. . . . 101

DUBRASQUET, M., see VATIER, J. 365

DUGUE, M., ROUSSELET, F., KAHN, M. F., GIRARD, M. L.
(Etudes biologiques sur 559 cas de paraprotéinémies). 75

DYERBERG, J., HJØRNE, N.
(Quantitation of the α-lipoprotein complex by agarose gel electrophoresis) . . 459

EISENRING, J. J., see GEISSBÜHLER, F.. . 111

FIELDING, J., RYALL, R. G.,
(Some characteristics of trichloroacetic acidprecipitated proteins and their effects on biochemical assay) 235

FIELDING, J., see RYALL, R. G. 229

FIGARELLA, C., see CLEMENTE, F. 317

FISHMAN, W. H., see ANSTISS, C. L. . . . 279

FISHMAN, W. H. see INGLIS, N. R. 287

FOTTRELL, P. F., see DONLON, J. 345

FUKAYA, J., IMAI, K., TAMURA, Z.
(A simple and rapid gas chromatography for determining 3,4-dihydroxyphenylacetic acid and 3-methoxy-4-hydroxyphenylacetic acid in urine from patients pf Parkinsonism treated with L-3,4,dihydroxyphenylalanine) 469
GARCIA, M., see SCHULLER, E. 5
GEISSBÜHLER, F., CONSTANTINIDIS, J., EISENRING, J. J., KRASSOIEVITCH, M., YANNIOTIS, G., TISSOT, R.
(Parkinsonisme et métabolisme plamatique de la dihydroxyphénylalanine administrée avec un inhibiteur de la décarboxylase) 111
GIPS, C. H., REITSEMA, A.
(Influence of non-protein nitrogen substances on the indophenol reaction). . 256
GIRARD, M. L., see DUGUE, M. 75
GOBERNA, R., see BÖHMER, R. 61
GOLD, R. J. M., SCRIVER, C. R.
(The amino acid composition of hair from different racial origins). 467
GOMPERTZ, D.
(Crotonic acid, an artefact in screening for organic acidaemias) 459
GREEN, J. B., see SOLOW, E. B. 87
GREEN, S., see ANSTISS, C. L. 279
GREEN, S., see INGLIS, N. R. 287
GREGOIRE, P. E., JONNIAUX, G., VOET, W.
(Etude des glycolipides urinaires dans la maladie de Fabry). 385
GULLBERG, R.
(Influence of plasma preparation technique on the amount of recovered B_{12}-binding proteins) 173
GUZEK, D. T., see INGLIS, N. R. 287
HARMS, K., see LENTZE, M. 301
HAVEZ, R., DEGRAND, P., BOERSMA, A., RICHET, C.
(Caractérisation et dosage de l'acide hyaluronique dans le liquide pleural de mésothéliome) 445
HEALY, P. J.
(Serum alkaline phosphatase activity in cattle) 423
HEALY, P. J.
(Serum alkaline phosphatase in sheep). 431
HEALY, P. J.
(Serum alkaline phosphatase in the newborn lamb). 437
HEININGER, J. A., see JACKSON, S. H. . . 179
HEIJST VAN, A. N. P., see MAAS, A. H. J. . 325
HILL, P. G., see PRICE, C. P. 260
HJØRNE, N., See DYERBERG, J. 459
HOFFMANN, I., KNAPP, A., RIETZ, K., MILNER, CH.
(Die Bestimmung der Transketolase-aktivität im Blut) 415
HOLT, P. G., KNIGHT, J. O., KAKULAS, B. A.
(The significance of the "dilution effect" in the determination of serum creatine kinase). 457
HORNIG, D., WEBER, F., WISS, O.
(Studies on the uptake of [1-^{14}C]ascorbic acid and [1-^{14}C]dehydroascorbic acid by platelets of guinea pigs) 187
ILLIANO, G., UTILI, R., CICALA, V.
(Assay of S-adenosylmethionine in human blood). 161
IMAI, K., see FUKAYA, J. 469
INGLIS, N. R., GUZEK, D. T., KIRLEY, S., GREEN, S., FISHMAN, W. H.
(Rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate). 287
JACKSON, S. H., HEININGER, J. A.
(Collagen reutilization in normal and hypersomatotropic rats) 179
JACOTOT, B., MONNIER, G., BEAUMONT, J. L.
(In vivo incorporation of dietary [^{14}C]-cholesterol in rat serum lipoproteins and transfers in connective tissue). 95
JAYLE, M. F., see CLOAREC, L. 45
KAHN, M. F., see DUGUE, M. 75
KAKULAS, B. A., see HOLT, P. G. 457
KASE, M. M., see ROSENTHAL, W. A. . . . 51
KATTERMANN, R., see SCHLAEGER, R., . . 13
KIPPING, D.
(Uber die Phosphatasen des menslichen Samens) 379
KIRLEY, S., see Inglis, N. R. 287
KNAPP, A., see HOFFMANN, I. 415
KNIGHT, J. O., see HOLT, P. G. 457
KRASSOIEVITCH, M., see GEISSBÜHLER, F., 111
KRŽALIĆ, LJ., MIHAILOVIĆ, LJ.
(Praelbumin proteins in serum). . . . 91
KUNZE, D., OLTHOFF, D., BÖNSCH, G.
(Der Einbau von [^{14}C]fettsäuren in Muskellipide bei progessiver Muskeldystrophie (Duchenne)) 373
LAGRUE, G., see CLOAREC, L. 45
LAPPIN, T. R. J.
(The measurement of non-esterified fatty acids in icteric body fluids) 153
LEBRETON, J. P., MARTIN, J. P., LEROY, J., DORDAIN, M., ROPARTZ, C., TOORTMANS, J. R.
(On the occurrence of hitherto unknown proteins in the urine of an apparently healthy subject). 101
LEFÉVRE, M. see SCHULLER, E. 5
LEHMANN, D., see LEHMANN, F. G. 197
LEHMANN, F. G., LEHMANN, D., MARTINI, G. A.
(α_1-Foetoprotein. Isolierung und Kristallisation aus menslichem Plasma) . . . 197
LEMONNIER, A., MOATTI, N., CHARPENTIER, C., LEVILLAIN, P.
(Modifications de l'aminoacidurie après administration de cycloleucine chez le rat: Analogies avec la cystinurie humaine). 351
LEMONNIER, A., POUSSET, J. L., CHARPENTIER, C., MOATTI, N.

(Isolement, et identification d'un nouveau métabolite urinaire d'oxydation de l'homocystine) 359
LENTZE, M., SCHAUB, J., HARMS, K.
(A simple and rapid thin-layer chromatographic method for the assay of intestinal disaccharidases) 301
LEROY, J., see Lebreton, J. P. 101
LEVILLAIN, P., see LEMONNIER, A. . . . 351
LINDSTEDT, S., see CEDERBLAD, G. . . . 117
LOLLIS, B., see CERIOTTI, G. 69
MAAS, A. H. J., HEIJST VAN, A. N. P., VISSER, B. F.
(The determination of the true equilibrium constant and the practical equilibrium coefficient for the first ionization of carbonic acid in solutions of sodium bicarbonate, cerebrospinal fluid, plasma and serum at 25° and 38°) 325
MANTEL, M.
(Improved method for the determination of iodine in urine) 39
MARÇAIS, J., see CLOAREC, L. 45
MARTIN, J. P., see LEBRETON, J. P. . . . 101
MARTINI, G. A., see LEHMANN, F.-G. . . . 197
MEIJER, A. E. F. H., BETHLEM, J., WIJNGAARDEN VAN, G. K.,
(Diagnostic value of electrophoretical isoenzyme determination of L-lactate dehydrogenase in affected quadriceps muscle of patients with neuromuscular diseases) 247
MELTZER, H. Y.
(Factors affecting serum creatinine phosphokinase levels in the general population: the role of race, activity and age) . 165
MIHAILOVIĆ, LJ., see KRŽALIĆ, LJ. . . . 91
MILEWSKI, K. N., see ROSENTHAL, W. A. . 51
MILNER, CH., see HOFFMANN, I. 415
MOATTI, N., see LEMONNIER, A. 351
MOATTI, N., see LEMONNIER, A. 359
MONNIER, G., see JACOTOT, B. 95
MONTREUIL, J., see STRECKER, G. 253
MONTREUIL, J., see SGRECKER, G. 393
MORENO, P., see SCHULLER, E. 5
MULLER, H., see SMEETS, E. H. J. 407
NADAI FRANK DE, A., see CERIOTTI, G. . . 69
OLSEN, C.
(An enzymatic fluorimetric micromethod for the determination of acetoacetate, β-hydroxybutyrate, pyruvate and lactate 293
OLTHOFF, D., see KUNZE, D. 383
PAL, S. B.
(Urinary excretion of testosterone and epitestosterone in men, women and children, in health and disease) 215
PESQUET, A., see BRUNELLE, PH. 265
PITKÄNEN, E., SERVO, C.
(Polyol oxidoreductase activity in human blood serum during acute heatitis) . 273
POORTMANS, J. R., see LEBRETON, J. P. . 101
POUSSET, J. L., see LEMONNIER, A. . . . 359
PRICE, C. P., HILL, P. G., SAMMONS, H. G.
(A comparison of two colorimetric procedures for the assay of 5'-nucleotidase) 260
RAPTIS, S., see BÖHMER, R. 61
REITSEMA, A., see GIPS, V. H. 256
RIBEIRO, T., see CLEMENTE, F. 317
RICHET, C., see HAVEZ, R. 445
RIETZ, K., see HOFFMANN, I. 415
ROMMEL, K., see BÖHMER, R. 61
ROPARTZ, C., see LEBRETON, J. P. 101
ROSALKI, S. B., THOMSON, W. H. S.
(Serum gamma-glutamyl transpeptidase in muscle disease) 264
ROSENTHAL, W. A., KASER, M. M., MILEWSKI, K. N.
(Separation and identification of barbiturates and glutethimide by thin-layer chromatography) 51
ROUSSELET, F., see DUGUE, M. 75
RYALL, R. G., FIELDING, J.
(The validation of biochemical assays by recovery data with special reference to serum iron) 229
RYALL, R. G., see FIELDING, J. 235
RYBÁK, M., BLAZKOVÁ, B.
(α-N-acetylglycyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations) 241
SAMMONS, H. G., see PRICE, C. P. 260
SARLES, H., see CLEMENTE, F. 317
SCRIVER, C. R., see GOLD, R. J. M. . . . 467
SERVO, C., see PITKÄNEN, E. 273
SCHAUB, J., see LENTZE, M. 301
SCHLAEGER, R., KATTERMANN, R.
(Arylamidase und ihre Isoenzyme bei Erkrankungen des Pankreas und der Leber) 13
SCHOTHORST, A. A., STREVENINCK VAN, J. WENT, L. N., SUURMOND, D.
(Metabolic aspects of the photodynamic effect of protoprophyrin in protoporphyria and in normal red blood cells) . . . 207
SCHRÖCKERT, W. M., BÄSSLER, K. H.
(Messung der Gesamtaktivität von Glutamat-Oxalacetat-Transaminase in Leberhomogenaten) 55
SCHULLER, E., ALLINQUANT, B., GARCIA, M., LEFÈVRE, M., MORENO, P., TOMP L.,
(Electro-immunodiffusion des próteines du liquide céphalo-rachidien. Dosage de l'α_2-HS, de la céruloplasmine, de la β_{1A}/β_{1C}, de l'hémopexine et de l'IgA) . . 5
SCHULMAN, J. D., see BLASS, J. P. 472
SMEETS, E. H. J., MULLER, H., WAEL DE, J.
(A NADH-dependent transketolase assay in erythrocyte hemolysates) 407
SMITH, R., see BISHOP, M. D. 401
SOLOW, E. B. GREEN, J. B.
(The determination of ethosuximide in serum by gas chromatography. Preliminary results of clinical application) . . . 87
STATIUS VAN EPS, L. W., SCHOUTER, H., SLOOFF, P. A. M., DELDEN, VAN, G. J. A.

(Sodium, potassium and calcium in erythrocytes in sickle cell-anemia) 477
STERNBERG, M., see CLOAREC, L. 45
STEVENINCK VAN, J., see SCHOTHORST, A. A. 207
STRECKER, G., MONTREUIL, J.
(N-acétylglucoaminurie et N-acétylmannosaminurie associeés à une sialurie) 253
STRECKER, G., MONTREUIL, J.
(Description d'une oligosaccharidosurie accompagnant une ganglioside GM 2 à déficit total en N-acétyl-hexosaminidases) 393
SUURMOND, D., see SCHOTHORST, A. A. . . 207
SZEWCZUK, A., SZEZEKLIK, A.
(Cobalt-activated acylase in human seeases) 309
rum. Occurrence in hepatobiliary dis-
SZEZEKLIK, A., see SZEWCZUK, A. 309
TAMURA, Z., see FUKAYA, J. 469
THOMSON, W. H. S., see ROSLAKI, S. B. . 264
TISSOT, R., see GEISSBÜHLER, F. 111
TOMPE, L., see SCHULLER, E. 5
UTILI, R., see ILLIANO, G. 161
VATIER, J., DUBRASQUET, M., BADER, J.-P., BONFILS, S.
(Isolement chromatographique de substances gastrosécrétagogues urinaires dans le syndrome de Zollinger-Ellison) 365
VERJEE, Z. H. M.
(A note on the fluorometric determination of plasma cortisol) 265
VISSER, B. F., see MAAS, A. H. J. 325
VÍTEK, K., see VÍTEK V. 33
VÍTEK, V., VÍTEK, K., ADAMS COWLEY, R.
(Isomaltose and maltose in the urine of severely injured humans) 33
WAEL DE J., see SMEETS, E. H. J. . . . 407
WEBER, F., see HORNIG, D. 187
WENT, L. N., see SCHOTHORST, A. A. . . 207
WIJNGAARDEN VAN, G. K., see MEIJER, A. E. F. H. 247
WISS, O., see HORNIG, D. 187
YANNIOTIS, G., see GEISSBÜHLER, F. . . 111

CLINICA CHIMICA ACTA Vol. 33 (1971)

SUBJECT INDEX

Acetoacetate, β,-hydroxybutyrate, pyruvate and lactate, an enzymatic fluorimetric micromethod for the determination (OLSEN) 293

N-Acetylglucosaminuria, and N-acetylmannosaminuria associated with sialuria (STRECKER, MONTREUIL) 253

α-N-Acetylglycyl-lysine methylester hydrolase, and plasminogen activator in urine. Method of determination and some considerations (RYBÁK, BLAZKOVÁ) 241

N-Acetylhexosaminidase, total deficiency, oligosaccharide excretion in a case of GM 2 gangliosidosis(STRECKER, MONTREUIL) 393

N-Acetylmannosaminuria, and N-acetylglucosaminuria associated with a sialuria (STRECKER, MONTREUIL). 253

Acylase, cobalt-activated, in human serum. Occurrence in hepatobiliary diseases (SZEWCZUK, SZCZEKLIK). 309

S-adenolylmethionine, in human blood (BOHUON, CAILLARD) 256

S-Adenosylmethionine, assay in human blood (ILLIANO, UTILI, CICALA). . . . 161

Agarase, gel electrophoresis, quantitation of the α-lipoprotein complex (DYERBERG, HJORNE) 460

Albumin, IgG and IgA in normal human pancreatic juice (CLEMENTE, RIBEIRO, FIGARELLA, SARLES) 317

Alkaline phosphatase, placental, biochemical studies CALEEM) 125

Amino acid, composition of hair from different racial origins (GOLD, SCRIVER). 467

Amino acid oxidase, quantitative determination of intestinal peptide hydrolase acitivity (DONLON, FOTTRELL). . . . 325

Aminoaciduria, modification in the rat after administration of cycloleucine (LEMONNIER, MOATTI, CHARPENTIER, LEVILLAIN) 351

α-Amylase, detection, a new approach for quantitative and semi-quantitative determinations of enzymatic activities with simple laboratory equipment (CESKA). 135

—, enzyme, contained in normal human urine, hydrolysis of a water-insoluble substrate incorporated into solidified medium (CESKA) 147

Arginine, the measurement in plasma (BACCHUS, LONDON) 481

Arylamidase, and its isoenzymes in diseases of the liver and the pancreas (SCHLAEGER, KATTERMANN) 13

[1-^{14}C]Ascorbic acid and [1-^{14}C]dehydroascorbic acid, studies on the uptake by platelets of guinea pigs (HORNIG, WEBER, WISS). 187

Autoanalyzer, range expansion (CAMPBELL) 475

Barbiturates, and glutethimide, separation and identification by thin-layer chromatography (WALDEMAR, ROSENTHAL, KASER, MILEWSKI) 51

Blood, determinination of transketolase activity (HOFFMANN, KNAPP, RIETZ, MILNER) 415

—, ethanol, determination by gas chromatography (COOPER) 485

— human, assay of S-adenosylmethionine (ILLIANO, UTILI, CICALA) 161

Calcium, sodium and potassim, in erythrocytes in sickle-cell anemia (STATIUS VAN EPS, SCHOUTEN, SLOOFF, DELDEN, VAN) 33

Carbonic acid, the determination of the true equilibrium constant and the practical equilibrium, coefficient for the first ionization, in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (MAAS, HEIJST, VAN, VISSER). 325

L-Carnitine, excretion in man (CEDERBLAD LINDSTEDT). 117

[^{14}C]Cholesterol, dietary, in vivo incorporation in rat serum lipoproteins and transfers in connective tissue (JACOTOT, MONNIER, BEAUMONT) 95

Citrate, synthase activity, measurement in human fibroblasts (BIASS, SCHULMAN). 472

Colagen, reutilization in oormal and hypersomatotrophic rats (JACKSON, HEININGER) 179

Cortisol, plasma, a note on the fluorometric determination (VERJEE) 268

Creatine kinase, serum, determination, the significance of the "dilution effect" (HOLT, KNIGHT, KAKULAS) 457

— phosphokinase, factors affecting the levels in serum in the general population, the role of race, activity and age (MELZER) 165
Crotonic acid, an artefact in screening for organic acidaemias (GOMPERTZ) . . . 459
Cycloleucine, administration, modification of aminoaciduria in the rat (LEMONNIER, MOATTI, CHARPENTIER, LEVILLAIN) 351
Decarboxylase inhibitor, effect on parkinsonism and metabolism of dopa in plasma (GEISSBÜHLER, CONSTANTINIDIS, EISENRING, KRASSOIEVITCH, YANNIOTIS, TISSOT) 111
[1-^{14}C]Dehydroascorbic acid, and [1-^{14}C]-ascorbic acid, studies on the uptake by platelets of guinea pigs (HORNIG, WEBER, WISS) 187
3,4-Dihydroxyphenylacetic acid, and 3-methoxy-4-hydroxyphenylacetic acid, a simple and rapid gas chromatography for determining in urine from patients of parkinsonism treated with L-3,4-dihydroxypheylalanine (FUKAYA, IMAI, TAMURA) 469
L-3,4-dihydroxyphenylalanine, a simple and rapid gas chromatography for determining 3,4-dihydroxyphenyl-acetic acid and 3-methoxy-4-hydroxyphenyl-acetic acid in urine from patients of parkinsonism treated with (FUKAYA, IMAI, TAMURA) 469
Disaccharidase, activity in the jejunum of subtotally pancreatectomized rats (BÖHMER, ROMMEL, GOBERNA, RAPTIS) 61
— intestinal, a simple and rapid thin-layer chromatographic method for the assay (LENTZE, SCHAUB, HARMS) 301
Dopa, in plasma, parkinsonism and metabolism. Effect of a decarboxylase inhibitor (GEISSBÜHLER, CONSTANTINIDIS, EISENRING, KRASSOIEVITCH, YANNIOTIS, TISSOT) 111
Equilibrium coefficient, practical, and the true equilibrium constant for the first ionization of carbonic acid in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (MAAS, HEIJST, VAN, VISSER) 325
— constant, true, and the practical equilibrium coefficient, determination for the first ionization of carbonic acid in solutions of sodium bicarbonate, CSF, plasma and serum at 25° and 38° (MAAS, HEIJST, VAN, VISSER) 325
Ethanol, blood, determination by gas chromatography (COOPER) 485
Ethosuximide, determination in serum by gas chromatography, preliminary results of clinical application (SOLOW, GREEN) 87
[^{14}C]Fatty acids, the incorporation in lipids of skeletal muscle in progressive muscular dystrophy (DUCHENNE, KUNZE, OLTHOFF, BÖNSCH) 373
Fluorogenic substrate, rapid electrophoretic microzone membrane technique for Regan isoenzyme (placental type alkaline phosphatase) (INGLIS, GUZEK, KIRLEY, GREEN, FISHMAN) 287
α_1-Foetoprotein, isolation and crystallization from human plasma (LEHMANN, LEHMANN, MARTINI) 197
Gamma-glutamyl transpeptidase, serum, in muxcle disease (ROSALKI, THONSON) 264
Gastric secretory substances, chromatographic separation from the urine of Zollinger-Ellison patients (VATIER, DUBRASQUET, BADER, BONFILS) . . . 365
Glucose phosphate isomerase, serum, direct ultra-micro dosage (BRUNELLE, PESQUET) 265
Glutamic-oxaloacetic transaminase, measurement of total activity in liver homogenates (SCHRÖCKERT, BÄSSLER) . 55
Glutethimide and barbiturates, separation and identification by thin-layer chromatography (WALDEMAR, ROSENTHAL, KASER, MILEWSKI) 51
Glycolipids, urinary in Fabry's disease (GREGOIRE, JONNIAUX, VOET) 385
Haptoglobin, preparation from urine of nephrotic rats (CLOAREC, DOMINGO, STERNBERG, MARÇAIS, LAGRUE, JAYLE)
Histidine load test, intravenous, for the detection of heterozygotes for histidinaemia (HAGUE, HOLTON) 464
Homocystine, a new urinary oxydative metabolite, isolation and identification (LEMONNIER, POUSSET, CHARPENTIER, MOATTI) 359
Hyaluronic acid, in the pleural fluid, of a mesothelioma, characterization and quantity (HAVEZ, BOERSMA, DEGAND RICHET) 445
β-Hydroxybutyrate, acetoacetate, pyruvate and lactate, an enzymatic fluorimetric micromethod for the determination (OLSEN) 293
Hydroxyproline, non-protein-bound, in plasma in renal bone disease (BISHOP, SMITH) 401
IgA, albumin and IgG in normal human pancreatic juice (CLEMENTE, RIBEIRO, FIGARELLA, SARLES) 317
IgG, IgA and albumin in normal human pancreatic juice (CLEMENTE, RIBEIRO, FIGARELLA, SARLES) 317
Immunodiffusion (electro), proteins of CSF determination of α_2-HS, ceruloplasmin, β_{1A}/β_{1B}, hemopexin and IgA (SCHULLER, ALLINQUANT, GARCIA, LEFÈVRE, MORENO, TOMPE) 5
Indophenol, reaction, influence of non-protein substances (GIPS, REITSEMA) . . . 257
Iodine, determination in urine, improved

method (MANTEL) 39
Isoenzyme, electrophoretical determination of L-lactate dehydrogenase, diagnostic value, in affected quadriceps muscle of patients with neuromuscular diseases (MEIJER, BETHLEM, WIJNGAARDEN, VAN) 247
Isomaltose, and maltose in the urine of severely injured human (VÍTEK, VÍTEK, COWLEY) 33
Lactate, acetoacetate, β,hydroxybutyrate and pyruvate, an enzymatic fluorimetric micromethod for the determination (OLSEN) 293
L-Lactate dehydrogenase, diagnostic value of electrophoretical isoenzyme determination in affected quadriceps muscle of patients with neuromuscular disease (MEIJER, BETHLEM, WIJNGAARDEN VAN) 247
Lipids, the incorporation of [^{14}C]fatty acids of skeletal muscle in progressive muscular dystrophy (DUCHENNE) (KUNZE, OLTHOFF, BÖMSCH) 373
α-Lipoprotein, complex, quantitation by agarose gel electrophoresis (DYERBERG, HJØRNE) 460
Lipoproteins, rat serum, in vivo incorporation of dietary [^{14}C]cholesterol, transfers in connective tissue (JACOTOT, MONNIER, BEAUMONT) 95
Liver homogenates, measurement of the total activity of glutamic-oxaloacetic transaminase (SCHRÖCKERT, BÄSSLER) 55
Maltose, isomaltose in the urine of severely injured humans (VÍTEK, VÍTEK, COWLEY) 33
Mesothelioma, characterization and quantity in the pleural fluid, of hyaluronic acid (HAVEZ, DEGAND, BOERSMA, RICHET) 445
3-Methoxy-4-hydroxyphenylacetic acid, and 3,4-dihydroxyphenylacetic acid, a simple and rapid gas chromatography for determining, in urine from patients of parkinsonism treated with L-3,4-dihydroxyphenylalanine (FUKAYA, IMAI, TAMURA) 469
Microzone, membrane technique, rapid electrophoretic for Regan isoenzyme (placental type alkaline phosphatase) using a fluorogenic substrate (INGLIS, GUZEK, KIRLEY, GREEN, FISHMAN) . . 287
Nitrogen, non-protein substances, influence on the indophenol reaction (GIPS, REITSEMA) 257
Non-esterified fatty acids, measurement in icteric body fluids (LAPPIN) 153
5'-Nucleotidase, assay, a comparison of two colorimetric procedures (PRICE, HILL, SAMMONS) 260
Oligosaccharide, excretion in a case of GM 2 gangliosid dosis, due to total N-acetylhexosaminidase deficiency (STRECKER, MONTREUIL) 393
Ornithine carbamyltransferase, automatic determination (CERIOTTI, LOLLIS, NADAI FRANK, DE) 69
Pancreatic juice, normal human, albumin, IgG and IgA (CLEMENTE, RIBEIRO, FIGARELLA, SARLES) 317
Paraproteinemia, biological study of 559 cases (DUGUE, ROUSSELET, KAHN, GIRARD) 75
Peptide hydrolase (intestinal) activity, quantitative determination, using L-amino acid oxidase (DONLON, FOTTRELL) 325
Phosphatases, in human semen (KIPPING) . 379
— serum alkaline, activity in cattle (HEALY) 423
—, — — in the newborn lamb (HEALY) . . 437
—, — — in sheep (HEALY) 431
Plasma, cortisol, a note on the fluorometric determination (VERJEE) 268
— human, isolation and crystallization of α_1-foetoprotein (LEHMANN, LEHMANN, MARTINI) 197
— the measurement of arginine (BACCHUS, LONDON) 481
— metabolism of dopa, parkinsonism, effect of a decarboxylase inhibitor (GEISBÜHLER, CONSTANTINIDIS, EISENRING, KRASSOIEVITCH, YANNIOTIS, TISSOT) 111
— non-protein-bound hydroxyproline, in renal bone disease (BISHOP, SMITH) . . 401
— preparation technique, influence on the amount of recovered B_{12}-binding proteins (GULLBERG) 173
— progesterone, rapid competitive protein-binding assay (DEMETRIOU, AUSTIN) 13
Plasminogen activator, and α-N-acetylglycyl-lysine methylester hydrolase in urine. Method of determination and some considerations (RYBÁK, BLAZKOVÁ) 241
Polyol oxidoreductase, activity in human blood serum during acute hepatitis (PITKÄNAN, SERVO) 273
Potassium, sodium and calcium, in erythrocytes in sickle-cell anemia (STATIUS VAN EPS, SCHOUTEN, SLOOFF, DELDEN, VAN) 477
Prealbumin, proteins in serum (KRŽALIC, MIHAILOVIĆ) 91
Progesterone, plasma, rapid competitive protein-binding assay (DEMETRIOU, AUSTIN) 13
Proteins, of CSF, electro-immunodiffusion, determination of α_2-HS, ceruloplasmin, β_{1A}/β_{1B}, hemopexin and IgA (SCHULLER, ALLINQUANT, GARCIA, LEFÈVRE, MORENO, TOMPE) 5
— recovered B_{12}-binding, influence of plasma preparation technique (GULLBERG) 173

— trichloroacetic acid-precipitated, some characteristics and their effects on biochemical assay (FIELDING, RYALL) . . 235
— unknown, the occurence in the urine of an apparently healthy subject (LEBRETON, MARTIN, LEROY, DORDAIN, ROPARTZ, POORTMANS) 101
— NADH-dependent, assay in erythrocyte hemolysates (SMEETS, MULLER, WAEL DE). 407
Urine, α-N-acetylglycyl-lysine methylester hydrolase and plasminogen activator in urine. Method of determination and some considerations (RYBÁK, BLAZKOVÁ) 241
— apparently healthy subject, occurence of hitherto unknown proteins (LEBRETON, MARTIN, LEROY, DORDAIN, ROPARTZ, POORTMANS). 101
— haptoglobin preparation, nephrotic tic rats (CLOAREC, DOMINGO, STERNBERG, MARCAIS, LAGRUE, JAYLE). . . 45
— iodine determination, improved method (MANTEL) 39
— severely injured humans, isomaltose and maltose (VÍTEK, VÍTEK, COWLEY). 33
— Zollinger-Ellison patients, chromatographic separation of gastric secretory substances (VATIER, DUBRASQUET, BADER, BONFILS) 365
Protoporphyrin, metabolic aspects of the photodynamic effect in protoporphyria and in normal red blood cells (SCHOTHORST, STEVENINCK VAN, WENT, SUURMOND) 207
Pyruvate, acetoacetate, β-hydroxybutyrate, and lactate, an enzymatic fluorimitric micromethod for the determination (OLSEN) 293
Regan isoenzyme, an automated technique for segregating populations with a high incidence in serum (ANSTISS, GREEN, FISHMAN) 279
— — (Placental type alkaline phosphatase) rapid electrophoretic microzone membrane technique using a fluorogenic substrate (INGLIS, GUZEK, KIRLEY, GREEN, FISHMAN) 287
Semen, human, phosphatases (Kipping) . 379
Serum, alkaline phosphatase activity in cattle (HEALY). 423
— — — in the newborn lamb (HEALY). . 437
— — — in sheep (HEALY). 431
— an automated technique for segregating populations with a high incidence of of Regan isoenzyme (ANSTISS, GREEN, FISHMAN) 279
— creatine kinase, determination, the significance of the "dilution effect" HOLT, KNIGHT, KAKULAS). 457
— — phosphokinase, factors affecting levels in the general population, the role of race, activity and age (MELTZER) 165
— the determination of ethosuximide by gas chromatography. Preliminary results of clinical application (SOLOW, GREEN) 87
— gamma-glutamyl transpeptidase in muscle disease (ROSALKI, THOMSON) . 264
— glucose phosphate isomerase, direct ultra-micro dosage (BRUNELLE, PESQUET) 265
— human, blood, polyol oxidoreductase activity during acute hepatitis (PITKÄNEN, SERVO) 273
— — cobalt-activated acylase. Occurrence in hepatobiliary disease (SZEWCZUK, SZCZEKLIK) 309
— iron, the validation of biochemical assays by recovery data (Ryall, FIELDING) 229
— prealbumin proteins (KRŽALÍC, MIHAILOVÇI). 91
— rat, lipoproteins, in vivo incorporation of dietary [^{14}C]cholesterol and transfers in connective tissue (JACOTOT, MONNIER, BEAUMONT) 95
Sialuria, associated with N-acetylglucosaminuria and N-acetylmannosaminuria (STRECKER, MONTREUIL). . . . 253
Sodium, potassium and calcium in erythrocytes in sickle-cell anemia (STATIUS VAN EPS, SCHOUTEN, SLOOFF, DELDEN VAN) 477
Testosterone, and epitestosterone, urinary excretion in men, women and children, in health and disease (PAL) 215
Transketolase, determinaton of activity in blood (HOFFMANN, KNAPP, RIETZ, MILNER) 415